

P a t e n t C l a i m s :

1. A method of using a first communications device (2) together with at least one other communications device (27), characterized in that the method comprises the steps of:
- playing back audio signals in said first communications device (2),
 - 10 • transmitting the same audio signals to the other communications device (27), and
 - playing back said audio signals in the other communications device (27).
- 15 2. A method according to claim 1, characterized in that said first communications device (2) is a mobile telephone.
- 20 3. A method according to claim 2, characterized in that the at least one other communications (27) device is a telephone.
4. A method according to claim 3, characterized in that it further comprises the steps of
- 25 • establishing a connection through a network (28) between the mobile telephone (2) and the other telephone (27),
 - establishing a telephone conversation by transmitting voice signals through a channel in the connection in
 - 30 the network (28), and
 - transmitting said audio signals from the mobile telephone (2) to the other telephone (27) through the connection in the network.
- 35 5. A method according to claim 4, characterized in that it further comprises the steps of

- mixing said voice signals and said audio signals, and
- transmitting the mixed voice and audio signals from the mobile telephone (2) to the other telephone (27) through a common channel in the connection in the network (28).

6. A method according to claim 5, characterized in that the common channel is a normal telephone voice channel.

7. A method according to claim 5, characterized in that the common channel is a data channel.

8. A method according to claim 4, characterized in that it further comprises the steps of

- transmitting the voice signals through a normal telephone voice channel in the connection in the network (28), and
- transmitting said audio signals from the mobile telephone (2) to the other telephone (27) through a data channel parallel to said voice channel in the connection in the network.

9. A method according to claim 3, characterized in that it further comprises the steps of

- establishing a connection through a network between the mobile telephone (2) and the other telephone (27),
- establishing a telephone conversation by transmitting voice signals through a channel in the connection in the network (28),
- transmitting said audio signals from a service provider (35) via the network (28) to the mobile telephone (2), and
- transmitting the same audio signals from the service provider via the network to the other telephone (27).

10. A method according to any one of claims 7-9, characterized in that said audio signals are transmitted in the form of a digitized and compressed audio file.

5

11. A method according to claim 10, characterized in that the digitized and compressed audio file is compressed in the MP3 format.

10 12. A communications system comprising a first communications device (2) and at least one other communications device (27), characterized in that the system is adapted to

- 15
- play back audio signals in said first communications device (2),
 - transmit the same audio signals to the other communications device (27), and
 - play back said audio signals in the other communications device (27).

20

13. A communications device (2) adapted to be used in a communications system comprising at least one other communications device (27), characterized in that it comprises

- 25
- means (29) for playing back audio signals, and
 - means (8) for initiating transmission of the same audio signals to the other communications device, such that said audio signals can be played back in the other communications device.

30

14. A communications device according to claim 13, characterized in that the communications device (2) is a mobile telephone.

35 15. A communications device according to claim 14, characterized in that the mobile telephone

is adapted for use in a public network, such as GSM, GPRS, EDGE or WCDMA.

16. A communications device according to claim 13,
5 c h a r a c t e r i z e d in that the communications device is adapted for use in a wireless shortlink, such as Bluetooth or an infrared connection.

17. A communications device according to any one of
10 claims 13-16, c h a r a c t e r i z e d in that the means for playing back audio signals is an audio device integrated in the communications device.

18. An accessory device (8) for use in connection with a
15 first communications device (2) adapted to be used in a communications system comprising at least one other communications device (27), c h a r a c t e r i z e d in that it comprises

- means (29) for playing back audio signals through the
20 first communications device (2), and
- means (8) for initiating transmission of the same audio signals to the other communications device (27), such that said audio signals can be played back in the other communications device (27).